

Specimen Entries

Elephas maximus indicus

20073 0.1.0 BAMBOO

Indian Elephant

01-Apr-08 Medical

None

AHD

mclane

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 77 of 367--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

01-Apr-08 Medical

None

AHD

Treatment -- Treatment-Soak tail in warm dilute chlorhexidine solution (1 oz/gallon) for five minutes; intermittently scrub affected areas to thoroughly clean in cracks; remove any overgrowth of skin, especially around tail hair follicles, rinse tail with water and apply liberal amounts of alpha-hydroxy lotion to affected area, 53 of 170--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

01-Apr-08 Medical

None

AHD

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 151 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

01-Apr-08 Medical

None

AHD

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 151 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

01-Apr-08 Medical

None

AHD

rrroach

Collected blood sample for hormone analysis.

Loxodonta africana knochenhaueri

20132 0.1.0 WATOTO

East African Bush Elephant

01-Apr-08 Medical

None

AHD

mclane

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 314 of 1133--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

01-Apr-08 Medical

None

AHD

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 151 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

Species Entries

Elephas maximus indicus

01-Apr-08

Medical

None

Indian Elephant

AHD

mclane

21113 (0.1.0) CHAI; 20073 (0.1.0) BAMBOO: Elephant TB trunk wash (vet attended)

Loxodonta africana knochenhaueri

01-Apr-08

Medical

None

East African Bush Elephant

AHD

mclane

20132 (0.1.0) WATOTO: Elephant TB trunk wash (vet attended)

Python m. molurus

01-Apr-08

Diet

None

Indian Rock Python

AHD

mclane

111855 (1.0.0) Monty; 920585 (0.1.0) Star; 920586 (0.1.0) Not Star; : -offered and ate medium size rabbit. The male was fed on exhibit and the females were shifted into holding and fed. Moved back on exhibit in the afternoon.

General Notes

Animal

01-Apr-08 enrichment - browse

All received one flake of Sudan hay and each ate 90%.

mclane

Staffing

01-Apr-08 Pat, Russ, Steve, Peter, Joanna

Daily Report 02-Apr-08 Wed

Elephants

Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

20073 0.1.0 BAMBOO

Indian Elephant

02-Apr-08 Medical

None

AHD

maluy

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 152 of 790--Completed by maluy.
Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

02-Apr-08 Medical

None

AHD

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 78 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

02-Apr-08 Medical

None

AHD

Annual trunk wash sample obtained this a.m. Sample #2. Dr. Ocshenreiter was in attendance to observe the collection.

21113 0.1.0 CHAI

02-Apr-08 Medical

None

AHD

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 152 of 790--Completed by maluy.
Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

02-Apr-08 Medical

None

AHD

Obtained blood sample sid fro endocrine assay.

0.1.0 CHAI

02-Apr-08 Medical

None

AHD

Annual trunk wash sample obtained this a.m. Sample #2. Dr. Ocshenreiter was in attendance to observe the collection.

Loxodonta africana knochenhaueri

20132 0.1.0 WATOTO

East African Bush Elephant

02-Apr-08 Medical

None

AHD

maluy

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 152 of 790--Completed by maluy.
Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

02-Apr-08 Medical

None

AHD

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 315 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

02-Apr-08 Medical

None

AHD

Annual trunk wash sample obtained this a.m. Sample #2. Dr. Ocshenreiter was in attendance to observe the collection.

General Notes

Animal

02-Apr-08 Enrichment: elephant pellets in boomer balls,, fir trees.

maluy

General

02-Apr-08 Steve at Safety Committee meeting this p.m.

maluy

Staffing

02-Apr-08 Maluy, McLane, Roach and Cremer

maluy

Daily Report 03-Apr-08 Thu Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

maluy

03-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 153 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

03-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 79 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

03-Apr-08 Medical None

Obtained blood samples for EEHV and TB testing.

0.1.0 BAMBOO

AHD

03-Apr-08 Medical None

Obtained trunk washes for annual TB testing with Dr. Ochsenreiter in attendance. This was the final sample #3.

21113 0.1.0 CHAI

AHD

03-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 153 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

03-Apr-08 Medical None

Obtained blood samples for endocrine, EEHV and TB testing.

0.1.0 CHAI

AHD

03-Apr-08 Medical None

Obtained trunk washes for annual TB testing with Dr. Ochsenreiter in attendance. This was the final sample #3.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

maluy

03-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 153 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

03-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 316 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

03-Apr-08 Medical None

Obtained blood sample for TB testing.

0.1.0 WATOTO

AHD

03-Apr-08 Medical None

Obtained trunk washes for annual TB testing with Dr. Ochsenreiter in attendance. This was the final sample #3.

General Notes

Animal

03-Apr-08 Enrichment: boomer balls with elephant pellets, Chuck Harke came to visit this p.m.

maluy

General

03-Apr-08 Cremer at all day OSHA training class today.

maluy

Staffing

03-Apr-08 Roach, McLane, Cremer and Maluy

maluy

Specimen Entries

Elephas maximus indicus
 20073 0.1.0 BAMBOO Indian Elephant
 04-Apr-08 Medical None AHD bojarski
 Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 154 of 790--Completed by bojarski.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO
 04-Apr-08 Medical None AHD
 Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 80 of 367--Completed by bojarski. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO
 04-Apr-08 Hands-on care None AHD
 Footwork: Right front foot and Left rear foot

21113 0.1.0 CHAI
 04-Apr-08 Medical None AHD
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 154 of 790--Completed by bojarski.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI
 04-Apr-08 Hands-on care None AHD
 Footwork: filed nails on both rear feet

0.1.0 CHAI
 04-Apr-08 Medical None AHD
 Routine blood draw for endocrine study.

Loxodonta africana knochenhaueri
 20132 0.1.0 WATOTO East African Bush Elephant
 04-Apr-08 Medical None AHD bojarski
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 154 of 790--Completed by bojarski.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO
 04-Apr-08 Medical None AHD
 Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 317 of 1133--Completed by bojarski. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

04-Apr-08 Chai with Watoto in morning, Chai with Bamboo in afternoon
 Enrichment: Bamboo browse and photinea, grain in boomer balls and celery.

Staffing

04-Apr-08 Maluy/Roach/Bojarski
 Pat attended lead keeper meeting

Specimen Entries

Elephas maximus indicus Indian Elephant

20073 **0.1.0 BAMBOO** Medical None rroach

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 81 of 367--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 155 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

21113 **0.1.0 CHAI** Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 155 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI Medical None

Obtained a routine blood sample for endocrine assay. maluy

Loxodonta africana kochenhaueri East African Bush Elephant

20132 **0.1.0 WATOTO** Medical None rroach

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 318 of 1133--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 155 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

maluy Enrichment: oranges, elephant pellets in Boomer Balls and Boomer pills, celery and bamboo browse.

maluy Bamboo and Chai together in a.m. Watoto and Chai in the p.m. Bamboo had access outside again tonight.

Public Programs

maluy 2:00 p.m. program for 150 guests.

Staffing

maluy Maluy and Roach Bojarski 1/2 day TRF 1/2 day Elephants

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

06-Apr-08 Medical

None

AHD

cremer

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 82 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

06-Apr-08 Medical

None

AHD

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 156 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

06-Apr-08 Medical

None

AHD

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 156 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

06-Apr-08 Medical

None

AHD

Collected blood sample, SID, for endocrine assay.

Loxodonta africana kiochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

06-Apr-08 Medical

None

AHD

cremer

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 319 of 1133--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

06-Apr-08 Medical

None

AHD

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 156 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

06-Apr-08 Hands-on care

None

AHD

Foot Work: Both rear feet.

General Notes

Animal

06-Apr-08 Enrichment: Bamboo browse, grain in Boomer Balls, Popcycle and Hanging Feeders.

cremer

Public Programs

06-Apr-08 150 visitors at Keeper Talk

cremer

Staffing

06-Apr-08 Cremer, McLane and Bojarski

cremer

Daily Report · 07-Apr-08 Mon Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD cremer
 07-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 83 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 07-Apr-08 Medical None
 Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 157 of 790--Completed by cremer.
 Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI AHD
 07-Apr-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 157 of 790--Completed by cremer.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 07-Apr-08 Medical None
 Collected blood sample, SID, for endocrine assay

Loxodonta africana knochenhaueri East African Bush Elephant
 20132 0.1.0 WATOTO AHD cremer
 07-Apr-08 Medical None
 Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007; per Dr. Helmink)., 320 of 1133--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD
 07-Apr-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 157 of 790--Completed by cremer.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD
 07-Apr-08 Hands-on care None
 Footwork: Right front.

General Notes

Animal

07-Apr-08 Enrichment: Bamboo browse and celery.
 Bamboo and Chai together today
 cremer

General

07-Apr-08 Raked up as much hay as possible from the keeper path adjacent to the exhibit.
 bojarski

Pest Control

07-Apr-08 Bait Boxes: #1 100%, #2 25%, #3 25%, #4 10%, #5 10%, #6 10%, #7 0%, #8 0%, #9 0%, #10 0%,
 #11 10%, #12 0%, #13 0%, #14 0%, #15 N/A, #16 0%.
 cremer

Staffing

07-Apr-08 Bojarski, McLane and Cremer

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD maluy
 08-Apr-08 Medical None
 Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 158 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 08-Apr-08 Medical None
 Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 84 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 08-Apr-08 Medical None
 As of treatment #55 of 170, Treatment-Soak tail in warm dilute chlorhexidine solution (1 oz/gallon) for five minutes; intermittantly scrub affected areas to thoroughly clean in cracks; remove any overgrowth of skin, especiall around tail hair follicles, rinse tail with water and apply liberal amounts of alpha-hydroxy lotion to affected area wa cancelled. Comment: Treatment cancelled, new treatment started April 8, 2008.

0.1.0 BAMBOO AHD
 08-Apr-08 Medical None
 Treatment -- Apply Oxydex Shampoo to distal end of tail, on Tuesdays and Fridays for 60 days. See treatment sheet for actual treatment procedure., 1 of 62--Completed by maluy. Comment -- First in a series of treatments -- replaces previous RX.

0.1.0 BAMBOO AHD
 08-Apr-08 Weight/Size None
 8900 lbs. on scale 88. Prev. Wt: 9210 lbs. on scale#88, on 2/13/2008. Down 3.3%. Previous average weight over last year 9040 lbs., from 5 weighings. Previous range of weights 8740 lbs. -- 9210 lbs. Comment: -- None.

21113 0.1.0 CHAI AHD
 08-Apr-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 158 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 08-Apr-08 Medical None
 Obtained routine blood sample for endocrine assay.

0.1.0 CHAI AHD
 08-Apr-08 Weight/Size None
 8550 lbs. on scale 88. Prev. Wt: 8550 lbs. on scale#88, on 2/13/2008. 0%. Previous average weight over last year 8378 lbs., from 5 weighings. Previous range of weights 8230 lbs. -- 8550 lbs. Comment: -- None.

Daily Report 08-Apr-08 Tue

Elephants

Woodland Park Zoo

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

maluy

08-Apr-08 Medical

None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 158 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

08-Apr-08 Medical

None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 321 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

08-Apr-08 Weight/Size

None

8400 lbs. on scale 88. Prev. Wt: 8460 lbs. on scale#88, on 2/13/2008. Down 0.7%. Previous average weight over last year 8166 lbs., from 5 weighings. Previous range of weights 7980 lbs. -- 8460 lbs. Comment: -- None.

Species Entries

Python m. molurus

Indian Rock Python

08-Apr-08

Medical

None

AHD

cremer

111855 (1.0.0) Monty; 920585 (0.1.0) Star; 920586 (0.1.0) Not Star; -Results from fecal sample submitted 23 Mar 08: No Parasites Found.

General Notes

Animal

08-Apr-08 Enrichment: elephant pellets in boomer toys, bamboo browse, chopped oranges broadcast in yards this p.m.

maluy

08-Apr-08 Weighed elephants this p.m.

maluy

General

08-Apr-08 Crew meeting this a.m.

maluy

Staffing

08-Apr-08 Maluy, McLane, Roach, Cremer and Bojarski

maluy

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD cremer

09-Apr-08 Medical None

As of treatment #4 of 62, Apply Oxydex Shampoo to distal end of tail, on Tuesdays and Fridays for 60 days. See treatment sheet for actual treatment procedure. was cancelled. Dates: 04/11/2008 following. Comment: Treatment schedule has been changed. Treatment will be conducted on Tuesdays and Fridays.

0.1.0 BAMBOO

AHD

09-Apr-08 Medical None

Treatment Scheduled: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 04/11/2008, End Date: 06/13/2008; frequency -- every 6 day(s).

0.1.0 BAMBOO

AHD

09-Apr-08 Medical None

Treatment Scheduled: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 04/15/2008, End Date: 06/17/2008; frequency -- every 6 day(s).

0.1.0 BAMBOO

AHD

09-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 159 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

09-Apr-08 Medical None

Treatment -- Apply Oxydex Shampoo to distal end of tail, on Tuesdays and Fridays for 60 days. See treatment sheet for actual treatment procedure., 2 of 62--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

09-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 85 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

09-Apr-08 Medical None

Blood samples obtained on April 3, 2008 for annual CBC, Chemistry and Fibrinogen assays were within normal limits.

0.1.0 BAMBOO

AHD

09-Apr-08 Medical None

Vitamin E level measured from blood sample obtained on March 13, 2008 were at 0.61 ug/ml, within normal limits.

21113 0.1.0 CHAI

AHD

09-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 159 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

Daily Report 09-Apr-08 Wed Elephants Woodland Park Zoo

09-Apr-08 Medical None

Blood samples obtained on April 3, 2008 for annual CBC, Chemistry and Fibrinogen assays were within normal limits although Chai's WBC and monocyte values were at the high end of previous values.

REPEAT BLOOD SAMPLES for CBC and Chem requested for April 17, 2008 per Dr. Ochsenreiter.

0.1.0 CHAI

AHD

09-Apr-08 Medical None

Vitamin E level measured from blood sample obtained on March 13, 2008 were at 0.69 ug/ml, within normal limits.

Loxodonta africana kiochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

maluy

09-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 159 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

09-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 322 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

09-Apr-08 Medical None

Blood samples obtained on April 3, 2008 for annual CBC, Chemistry and Fibrinogen assays were within normal limits.

0.1.0 WATOTO

AHD

09-Apr-08 Medical None

Vitamin E level measured from blood sample obtained on March 13, 2008 were at 0.70 ug/ml, within normal limits.

General Notes

Animal

09-Apr-08 Enrichment: elephant pellets in boomer toys, bamboo browse.

maluy

Facilities

09-Apr-08 Hyperchlorinated elephant pool tonight, pool area and south paddock closed to the elephants for the night.

maluy

General

09-Apr-08 Cremer and Maluy attended the dangerous animal walk through and inspection at Hippos this a.m.

maluy

Staffing

09-Apr-08 Maluy, Cremer, Roach and McLane

maluy

Daily Report 10-Apr-08 Thu Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD maluy

10-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 160 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

10-Apr-08 Medical None

Treatment -- Apply Oxydex Shampoo to distal end of tail, on Tuesdays and Fridays for 60 days. See treatment sheet for actual treatment procedure., 3 of 62--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

10-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 86 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

10-Apr-08 Medical None

Obtained a blood sample for EEHV study and Vitamin E assay.

21113 0.1.0 CHAI

AHD

10-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 160 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

10-Apr-08 Medical None

Obtained a blood sample for endocrine assay, EEHV study and Vitamin E assay.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD maluy

10-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 160 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

10-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 323 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

10-Apr-08 Medical None

Obtained a blood sample for endocrine assay and Vitamin E assay

General Notes

Animal

10-Apr-08 Enrichment: elephant pellets in boomer balls, pumpkin paste and sliced oranges.
 maluy

Staffing

10-Apr-08 Maluy, McLane, Roach and Cremer
 maluy

Daily Report 11-Apr-08 Fri Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD rroach

11-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 87 of 367--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

11-Apr-08 Medical None

Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 1 of 12--Completed by rroach. Comment -- Discontinue weekly soak and use this new improved treatment.

0.1.0 BAMBOO

AHD

11-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 161 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

11-Apr-08 Medical None

Submitted culture samples from Bamboo's right ear for testing. The ear has been producing an increased amount of wax which is unusual in color. Will k.u.o. for now.

21113 0.1.0 CHAI

AHD

11-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 161 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

rroach

11-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 324 of 1133--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

11-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 161 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

Animal

11-Apr-08 Enrichment: chopped cabbage, Christmas tree and elephant pellets in boomer products.

rroach

Facilities

11-Apr-08 Jim moved logs and graded some of the south yard.

rroach

General

11-Apr-08 Pat met with Gigi Allianic to discuss siting for the Hansa Recognition area.

maluy

Staffing

11-Apr-08 Russ, Joanna, Pat

rroach

Daily Report 12-Apr-08 Sat Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

maluy

12-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 162 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

12-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 88 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

12-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 162 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

Loxodonta africana kochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

maluy

12-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 162 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

12-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 325 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

12-Apr-08 Enrichment: popcorn, photinia browse and elephant pellets in boomer toys.

maluy

General

12-Apr-08 Gave a BTS tour for [redacted] and family this a.m.

maluy

Public Programs

12-Apr-08 2:00 p.m. elephant talk at the pool for 150 guests.

maluy

Staffing

12-Apr-08 Bojarski, Roach and Maluy

maluy

Daily Report 13-Apr-08 Sun Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD bojarski

13-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 163 of 790--Completed by bojarski.
Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

13-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 89 of 367--Completed by bojarski. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

13-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 163 of 790--Completed by bojarski.
Comment -- No remarkable change in condition; administration routine.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD bojarski

13-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 163 of 790--Completed by bojarski.
Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

13-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 326 of 1133--Completed by bojarski. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

13-Apr-08 Enrichment: Grain in boomer balls, elaeagnus/photinea/bamboo browse
Bamboo and Chai together for morning, Watoto and Chai together for keeper talk.

bojarski

General

13-Apr-08 NARN representatives were here this morning observing baths and this afternoon (330pm) observed the barn being set up.

bojarski

13-Apr-08 One BTS tour today at 230pm for cub scouts

bojarski

Public Programs

13-Apr-08 One keeper talk today for 100 visitors.

bojarski

Staffing

13-Apr-08 Cremer/McLane/Bojarski

bojarski

Daily Report 14-Apr-08 Mon Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD mclane

14-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 90 of 367--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

14-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 164 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

14-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 164 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

14-Apr-08 Hands-on care None
foot care done on both rear feet

0.1.0 CHAI

AHD

14-Apr-08 Medical None
Collected blood sample for endocrine assay.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD mcl

14-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 327 of 1133--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

14-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 164 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

14-Apr-08 enrichment - browse

mclane

General

14-Apr-08. Two keepers, one an elephant keeper from Winston, Oregon

mclane Blood samples taken to AHD for shipment.

Set up repaired scale #115 in hay storage area and returned AHD scale

Staffing

14-Apr-08 Steve, Peter, Joanna

mclane

Daily Report 15-Apr-08 Tue Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

rroach

15-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 91 of 367--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

15-Apr-08 Medical None

Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 1 of 12--Completed by rroach. Comment -- Used Zafari elephant cleansing shampoo.

0.1.0 BAMBOO

AHD

15-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 165 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

15-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 165 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

15-Apr-08 Medical None

Chai was slightly stiff in her right wrist area while walking just before and during her bath. Seemed to have full mo' wrist and elbow (good pad and foot presentation but did not ask to kneel). When released to the yard she seemed sud cured and had a normal gait. Slightly stiff gait in the barn this evening.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

rroach

15-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 328 of 1133--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

15-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 165 of 790--Completed by rroach. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

15-Apr-08 Enrichment: chopped honeydews.

rroach

General

15-Apr-08 Attended elephant management and animal care meetings.

rroach

Staffing

15-Apr-08 Russ, Joanna, Steve, Pat, Peter

Daily Report 16-Apr-08 Wed Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD mclane
 16-Apr-08 Medical None
 Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 92 of 367--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 16-Apr-08 Medical None
 Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 166 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI AHD
 16-Apr-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 166 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 16-Apr-08 Medical None
 Dr. Dennis Schmitt was here this morning to do an ultra sound procedure to determine if she is pregnant at this tin He was not able to determine at this time that she is pregnant using the ultra sound procedure.

Loxodonta africana knochenhaueri East African Bush Elephant
 20132 0.1.0 WATOTO AHD mclane
 16-Apr-08 Medical None
 Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 329 of 1133--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD
 16-Apr-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 166 of 790--Completed by mclane. Comment -- No remarkable change in condition; administration routine.

General Notes

Staffing

16-Apr-08 Pat (1/4 day) Russ, Peter, Joanna (1/4 day)
 Steve (lion procedure - morning)

mclane

Daily Report 17-Apr-08 Thu, Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD maluy
 17-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 167 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 17-Apr-08 Medical None
 Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 2 of 12--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 17-Apr-08 Medical None
 Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 93 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 17-Apr-08 Medical None
 Obtained blood sample for EEHV assay.

21113 0.1.0 CHAI AHD
 17-Apr-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 167 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 17-Apr-08 Medical None
 Obtained blood sample for EEHV assay, endocrine assay and a follow up CBC/Chemistry.

0.1.0 CHAI AHD
 17-Apr-08 Medical None
 Discovered a small abscess on Chai's right, front foot, between the two outside toenails. The area is slightly swollen with some tissue protruding about one inch away from the surrounding tissue. The area was cleaned this a.m. and foot soaked in Nolvasan solution and hot water for ten minutes. Contacted the Veterinary Team and Dr. Helimick came by to examine it. We were able to express a small amount of what appears to be pus. A bacterial culture was collected. Dr. H prescribed 1-2 times per day, soak affected foot in warm water mixed with epsom salts. After soaking, flush abscess with 8-12 mls of hydrogen peroxide. Will try to radiograph the area next week and will continue to kuo.

Loxodonta africana knochenhaueri East African Bush Elephant
 20132 0.1.0 WATOTO AHD maluy
 17-Apr-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 167 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD
 17-Apr-08 Medical None
 Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 330 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD

17-Apr-08 Medical

None

Obtained blood sample for serum banking..

General Notes

Animal

17-Apr-08 Enrichment: bommer toys with elephant pellets.

maluy

General

17-Apr-08 Steve Crémer assisted with Lion move this a.m. as part of his Firearms team responsibilities. Russ Roach attended the browse committee meeting this p.m.

maluy

Staffing

17-Apr-08 Maluy, Roach, McLane and Cremer

maluy

Daily Report 18-Apr-08 Fri Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

maluy

18-Apr-08 Hands-on care None

Footcare: trimmed right front foot pad and cuticles.

0.1.0 BAMBOO

AHD

18-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 168 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

18-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 94 of 367--Completed by maluy. Comment -- No

remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

18-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 168 of 790--Completed by maluy

Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

18-Apr-08 Medical None

Treated Chai's right front foot abscess twice today. Soaked in epsom salts and flushed with peroxide.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

II

18-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 168 of 790--Completed by maluy

Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

18-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per

Dr. Helmink), 331 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

18-Apr-08 Enrichment: brocolli and elephant pellets braodcast around the yard.

maluy

Staffing

18-Apr-08 Bojarski, Roach and Maluy

maluy

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073

0.1.0 BAMBOO

maluy

Medical

None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 169 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

Medical

None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 95 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

21113

0.1.0 CHAI

Medical

None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 169 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

Medical

None

Treatment Scheduled: Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right foot, once or twice per day for 21 days. Per Dr. Helmink. Start Date: 4/18/2008, End Date: 5/8/2008; frequency every 1 day(s).

0.1.0 CHAI

Medical

None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 2 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

Medical

None

Treatment was scheduled for 4/18/2008. Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 1 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine. First day entered into database.

Loxodonta africana kochenhaueri

East African Bush Elephant

20132

0.1.0 WATOTO

maluy

Medical

None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 169 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

Medical

None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 332 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

Enrichment: snow! Broccoli, bamboo browse and frozen melon.

maluy

General

Rec'd donation of bamboo browse this p.m.

maluy

Public Programs

40 guests at today's elephant program.

maluy

Staffing

Maluy, Roach and Bojarski

maluy

Daily Report 20-Apr-08 Sun Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD cremer

20-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 96 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

20-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 170 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

20-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 170 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

20-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 3 of 21--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD cremer

20-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 333 of 1133--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

20-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 170 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

20-Apr-08 Enrichment: Bamboo browse, popcycle and Boomer Ball / Grain.

cremer

Public Programs

20-Apr-08 60 visitors at Keeper Talk.

cremer

Staffing

20-Apr-08 Bojarski and Cremer. Maluy , a few hours OT.

cremer

Daily Report 21-Apr-08 Mon Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD cremer
 21-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 97 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 21-Apr-08 Medical None

Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 2 of 12--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI AHD
 21-Apr-08 Medical None

Collected blood sample for endocrine assay and CBC.

0.1.0 CHAI AHD
 21-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 171 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 21-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 4 of 21--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

Loxodonta africana knochenhaueri East African Bush Elephant
 20132 0.1.0 WATOTO AHD cremer
 21-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 334 of 1133--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD
 21-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 171 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

Python m. molurus Indian Rock Python
 920585 0.1.0 Star AHD cremer
 21-Apr-08 Shed/Molt None

In blue.

General Notes

21-Apr-08 Enrichment: bamboo browse.

cremer

Staffing

21-Apr-08 Bojarski and Cremer

cremer

Daily Report 22-Apr-08 Tue Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

maluy

22-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 172 of 790--Completed by maluy.

Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

22-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 98 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

22-Apr-08 Medical None

Treatment was scheduled for 4/21/2008. Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 171 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine. -- discrepancy between scheduled treatment date and today's date

21113 0.1.0 CHAI

AHD

22-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 5 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

22-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 172 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

maluy

22-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 172 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

22-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 335 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

22-Apr-08 Enrichment: elephant pellets in boomer toys.

maluy

General

22-Apr-08 Some crew attended the "Story Telling Workshop" this p.m.

maluy

22-Apr-08 Some crew attended the All Staff meeting this p.m.

maluy

Staffing

22-Apr-08 Maluy, Roach, McLane, Cremer and Bojarski

maluy

Daily Report 23-Apr-08 Wed Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD cremer

23-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 99 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

23-Apr-08 Medical None

Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 3 of 12--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

23-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 lbs.) daily, 173 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

23-Apr-08 Medical None

As of treatment #3 of 12, Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes. was cancelled. Dates: 04/23/2008 following. Comment: This treatment was completed on Tuesday 22 Apr 08. This is treatment is scheduled for Tuesday and Friday each week.

0.1.0 BAMBOO

AHD

23-Apr-08 Medical None

As of treatment #3 of 12, Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes. was cancelled. Dates: 04/27/2008 following. Comment: This treatment is scheduled Tuesday and Friday of each week.

0.1.0 BAMBOO

AHD

23-Apr-08 Medical None

Treatment Scheduled: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 04/25/2008, End Date: 06/27/2008; frequency -- every 6 day(s).

0.1.0 BAMBOO

AHD

23-Apr-08 Medical None

Treatment Scheduled: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 04/29/2008, End Date: 07/01/2008; frequency -- every 6 day(s).

21113 0.1.0 CHAI

AHD

23-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 lbs.) daily, 173 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

Daily Report 23-Apr-08 Wed Elephants Woodland Park Zoo

23-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days follo
by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot,
once or twice per day for 21 days. Per Dr. Helmink, 6 of 21--Completed by cremer. Comment -- No remarkable
change in condition; administration routine.

Loxodonta africana knochenhaueri
20132 0.1.0 WATOTO

East African Bush Elephant

23-Apr-08 Medical None

AHD cre

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007,
Dr. Helmink), 336 of 1133--Completed by cremer. Comment -- No remarkable change in condition; administra
routine.

0.1.0 WATOTO

AHD

23-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Royomix E-50, (5 tbs.) daily, 173 of 790--Completed by cremer.
Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

23-Apr-08 Hands-on care None

Footwork: Right front.

General Notes

Animal

23-Apr-08 Enrichment: Bamboo browse

cremer

Facilities

23-Apr-08 Exhibits began working on the Terminal Bollard insulators.

cremer

Staffing

23-Apr-08 Mclane, Roach, Maluy and Cremer.

cremer

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073

0.1.0 BAMBOO

maluy

Medical

None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 100 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

Medical

None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 174 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

Medical

None

Obtained blood samples for EEHV assay.

21113

0.1.0 CHAI

Medical

None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 174 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

Medical

None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 7 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

Medical

None

Obtained blood samples for EEHV assay, endocrine and repeat CBC and chemistries.

0.1.0 CHAI

Medical

None

Dr. Helmink came by to examine Chai's right front foot twice today. We were able to flush and remove a 1 inch by inch plug of pus and necrotic tissue from the wound. We also have a new treatment of packing the wound with Dryclox, Cloxaclyline benzathine once per day in the afternoon. Dr. K would like to start her on antibiotics tomon as her WBC count is high, 23, 500. Last week it was high normal at around 16,500.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132

0.1.0 WATOTO

maluy

Medical

None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 337 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

Medical

None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 174 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

Medical

None

Obtained blood samples for banking .

General Notes

Facilities

Exhibits here this p.m. to scope cable insulator work for tomorrow.

maluy

General

Crew attended the All Staff and the Story Telling workshop this p.m.

maluy

Staffing

Maluy, McLane and Roach Cremer shadowing the CEO today.

maluy

Daily Report 25-Apr-08 Fri Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

maluy

25-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 101 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

25-Apr-08 Medical None

Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 4 of 14--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

25-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 lbs.) daily, 175 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

iroac

17-Apr-08 Medical None

Clinical notes: There is a draining tract along the lateral aspect b/w digits 3 & 4 of the right front foot. A sample submitted for bacterial culture and sensitivity. Radiographs will be scheduled to evaluate the tract further. Systemic antibiotics may be indicated based on results of routine CBC/panel and culture.

1. Soak the foot 1-2 times daily for 10 - 20 mins. In warm water & Epsom salts 21 days.
2. flush tract 1-2 times daily with 10 - 12 ml hydrogen peroxide solution for 21 days.
3. Open tract as appropriate during routine foot trims.
4. Vet recheck in 7 - 10 days.

0.1.0 CHAI

AHD

24-Apr-08 Medical None

Clinical Notes: There continues to be purulent material expressed from a draining tract b/w D3 & D4 of the RF foot. The material is very thick and difficult to express from the tract. Continue flushing will help move out this material; topical antibiotic cloxacillin (500 mg. Topically SID 21 days) was added to Tx. Oral antibiotics are initiated (ampicillin trihydrate 50 gm PO BID 21 days) for an elevated WBC. Survey foot radiographs with contrast radiographs in the next few days.

0.1.0 CHAI

AHD

maluy

25-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 lbs.) daily, 175 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

25-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 8 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

Daily Report 25-Apr-08 Fri Elephants Woodland Park Zoo

Loxodonta africana kochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

maluy

25-Apr-08 Medical

None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 338 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

25-Apr-08 Medical

None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 175 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

General Notes

Animal

25-Apr-08 Enrichment: elephant pellets in boomer toys, french bread and melon.

maluy

Staffing

25-Apr-08 Maluy and Roach Bojarski a.m. at elephants, p.m. at raptors.

maluy

Daily Report 26-Apr-08 Sat Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD maluy

26-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 102 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD

26-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 176 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI AHD

26-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 176 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD

26-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 9 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD

26-Apr-08 Medical None

Chai refused to eat her oral ampicillin mixed in peanut butter on bread today. Received dosages mixed in peanut butter from Ballard compounding pharmacy. She would not eat these as well. We set up the juice barrel overnight without access to another water source in hopes she will drink the medication overnight.

Loxodonta africana knochenhaueri East African Bush Elephant
 20132 0.1.0 WATOTO AHD malu

26-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 339 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD

26-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 176 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD roach

26-Apr-08 Training/Enrichment None

Doing well with ERD training. Have not had any hesitation going in nor bolting when the gate is closed. West wall in all the way. East-wall in to opening to herd room.

0.1.0 WATOTO AHD maluy

Daily Report 26-Apr-08 Sat Elephants Woodland Park 7

26-Apr-08 Medical None

Watoto looked normal this a.m. when we came in. Ate all her hay overnight and passed a normal amount of stool. This p.m. we noticed she was not eating much, picking at her hay and sleeping off and on. When it was time to come in for the night, she was very slow to shift and we had to switch her from stall to stall to get her in her rooms for the night. Observed her defecate late this p.m. and stool appeared normal. She was not interested in eating her night hay before we left and again seemed to be picking through it. Contacted AHD and Dr. Ochsenreiter and spoke to him about her symptoms. We will kuo for now.

Python m. molurus Indian Rock Python
920585 0.1.0 Star AHD roach
26-Apr-08 Shed/Molt None
Shed last night.

General Notes

Public Programs

26-Apr-08 Program canceled today due to short staffing and medical treatments. Gates and Education notified.

maluy

Staffing

26-Apr-08 Maluy and Roach Bojarski, half day elephants, half day raptors.

maluy

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

cremer

27-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 103 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

27-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 177 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

27-Apr-08 Medical None

Very particular about which foods she is eating today. Consumed 90% of her overnight diet but would not accept carrots, apples or grainb today. She did consume some hay and bamboo browse. More details to follow.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

cremer

27-Apr-08 Medical None

Presenting symptoms of colic this morning. Did not consume any of her overnight diet. Restrained in the ERD and given a Banamine injection and an enema this morning. Will attempt to do the same this afternoon. She did start eating a bit this afternoon and seemed more comfortable. More details to follow

General Notes

27-Apr-08 Public Program cancelled.

cremer

Staffing

27-Apr-08 Bojarski, McLane and Cremer. Maluy OT in the afternoon.

cremer

Daily Report 28-Apr-08 Mon Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

cremer

28-Apr-08 Medical None

Cytology of ear exudate taken 4/11 shows bacterial proliferation in ear swab sample. This may be normal inhabitants or an actual infection. Veterinary exam is indicated.

Culture of the ear swab submitted 4/11 shows mixed bacteria with no predominant organisms. Schedule exam of ear by DVM

0.1.0 BAMBOO

AHD

28-Apr-08 Medical None

Serum sent to NVSL for a new TB screening test called the Elephant TB stat-pak was performed 4/15. The results are all negative.

0.1.0 BAMBOO

AHD

28-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 178 of 790--Completed by cremer.

Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

28-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 104 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

28-Apr-08 Medical None

Culture of toe abscess from 4/17 shows heavy growth of group B streptococcus as well as a light growth of mixed flora.

CBC from 10 April shows a result similar to one week prior. Recheck CBC in two weeks.

CBC 4/21 results similar to most recent two samples; monocytes returned to normal level for her. Note: open abscess on right front foot. is present.

0.1.0 CHAI

AHD

28-Apr-08 Medical None

Serum sent to NVSL for a new TB screening test called the Elephant TB stat-pak was performed 4/15. The results are all negative.

0.1.0 CHAI

AHD

28-Apr-08 Medical None

Collected blood sample.

0.1.0 CHAI

AHD

28-Apr-08 Medical None

Dr Helmick assisted with irrigation of RF abscess. A substantial tract was created between the three eruption points. Discontinue dilute hydrogen peroxide irrigation and replace with sterile saline or dilute Chlorhexidine solution irrigation.

0.1.0 CHAI

AHD

28-Apr-08 Medical None

Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 6 of 21--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

Daily Report 28-Apr-08 Mon Elephants Woodland Park Zoo

28-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 11 of 21--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

28-Apr-08 Medical None

AHD

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 178 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

28-Apr-08 Medical None

AHD

Chai eating better and accepting a wider variety of food this afternoon. Will KUO.

Loxodonta africana knochenhaueri East African Bush Elephant

20132 0.1.0 WATOTO

28-Apr-08 Medical None

AHD

cremer

Serum sent to NVSL for a new TB screening test called the Elephant TB stat-pak was performed 4/15. The results are all negative.

0.1.0 WATOTO

28-Apr-08 Medical None

AHD

Clinical notes as of 1700 hr. 27 Apr 08: "Analgesics and rectal fluid administration BID facilitated by ERD, offer food/water throughout the day (ate some pellets, hay, produce, drank some throughout the day). Reduced fecal production but feces produced throughout the day, increased water component of feces post enema, most of rectally-administered water was retained. Held in barn overnight to facilitate AM treatments in ERD tomorrow if needed. Rx: FlunixinMeglumine 3750 mg IM for 1 dose. (AM treatment) Rx: Flunixin Meglumine 4500 mg IM for 1 dose. (PM treatment) (KEH)" MedARKS entry

0.1.0 WATOTO

28-Apr-08 Medical None

AHD

Consumed most of her overnight diet. Still seems a bit lethargic but accepting some food items. Collected blood sample and administered an enema this morning.

0.1.0 WATOTO

28-Apr-08 Medical None

AHD

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink). 341 of 1133 was cancelled. Comment: Watoto still symptomatic with colic. This was not offered.

0.1.0 WATOTO

28-Apr-08 Medical None

AHD

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 178 of 790 was cancelled. Comment: Watoto still symptomatic with colic. This was not offered.

General Notes

Animal

28-Apr-08 Enrichment: Bamboo Browse and Boomer Ball with grain.

cremer

Staffing

28-Apr-08 Bojarski, McLane and Cremer

cremer

Daily Report 29-Apr-08 Tue Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

maluy

29-Apr-08 Medical None

Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 4 of 14--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

29-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 179 of 790--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

29-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 105 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

29-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 12 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

29-Apr-08 Medical None

Treatment was scheduled for 4/27/2008. Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink, 10 of 21--Completed by maluy. Comment -- Cancelled today.

0.1.0 CHAI

AHD

29-Apr-08 Medical None

Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 7 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

29-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 179 of 790 was cancelled. Comment: Still having issues with eating meds, etc.

0.1.0 CHAI

AHD

29-Apr-08 Medical None

Treatment was scheduled for 4/27/2008. Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 177 of 790 was cancelled. Comment: Chai being very particular about what she is eating today. This was n offered.

0.1.0 CHAI

AHD

29-Apr-08 Medical None

Radiographed right front foot this a.m. to further investigate draining tract between #4 and 5 toes. We were able to get some decent shots of the injury and also took some films after injecting a radio opaque dye into the area. Interpretation of the radiographs is still pending at this time.

Daily Report 29-Apr-08 Tue Elephants Woodland Park Zoo

0.1.0 CHAI

AHD cremer

29-Apr-08 Medical None

As of treatment #13 of 21, Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by application of Hydrogen peroxide (12 ml of solution) as a flush into the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmink was cancelled. Dates: 04/30/2008 following.
Comment: Discontinue hydrogen peroxide irrigation and start sterile saline irrigation.

0.1.0 CHAI

AHD

29-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by sterile saline irrigation of the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmick, 13 of 22--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD maluy

29-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 179 of 790--Completed by maluy.
Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO

AHD

29-Apr-08 Medical None

Treatment was scheduled for 4/27/2008. Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 177 of 790 was cancelled. Comment: Watoto presenting signs of colic. This was not offered.

0.1.0 WATOTO

AHD

29-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 342 of 1133 was cancelled. Comment: Innappetance due to illness.

0.1.0 WATOTO

AHD

29-Apr-08 Medical None

Treatment was scheduled for 4/27/2008. Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 340 of 1133--Completed by maluy. Comment -- Watoto presenting signs of colic. This was not offered.

0.1.0 WATOTO

AHD maluy/cremer

29-Apr-08 Medical None

Watoto did not eat much overnight and drank very little water. Obtained a blood sample this a.m. for CBC and chemistries. Her WBC was 5500 and her hematocrit (PCV) was 41. An enema was administered a.m. and p.m. to help with hydration. She was also given some IV Butazolodine through a femoral vein.(a.m.) and IM Banamine (p.m.).

General Notes

Animal

29-Apr-08 Enrichment: Photinia and bamboo browse and Boomer Balls

cremer

Staffing

29-Apr-08 Bojarski, McLane, Roach, Cremer and Maluy

cremer

Daily Report 30-Apr-08 Wed Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD cremer

30-Apr-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 106 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

30-Apr-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 180 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI

AHD

30-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 180 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

30-Apr-08 Medical None

Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 8 of 21--Completed by cremer. Comment -- ENTER COMMENT EXPLAINING CANCELLATION

0.1.0 CHAI

AHD

30-Apr-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days follow by sterile saline irrigation of the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmick, 14 of 22--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

30-Apr-08 Medical None

For the DKR: (29 Apr 08) Survey and contrast radiographs of the RF foot were attempted today with partial results While no overt signs of osteomyelitis are present, survey radiographs should be repeated. Due to poor oral acceptance of antibiotics, a rectal suppository will be prepared by our compounding pharmacy for antibiotic administration. (KEH)

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD cremer

30-Apr-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 180 of 790 was cancelled. Comment: Under medical treatment.

0.1.0 WATOTO

AHD

30-Apr-08 Medical None

For the DKR: (28 Apr 08) Supportive care for colic (fluids, analgesics) helped improve clinical signs of "colic" in the a.m. with decreased response observed later in the day. No oral intake of medications. Return to rectal fluid and IM analgesic administration. Recheck blood and urine values, and submit a blood sample for EEHV PCR just to be sure. Rx: Phenylbutazone 15 gm PO SID for 7 days. (KEH)

For the DKR: (29 Apr 08) Signs of partial anorexia, reduced stool output, and lethargy persist. Fluid and analgesic treatment to continue. All blood and urine values remain normal. Feces are negative for occult blood (GI bleeding). A blood sample is submitted for EEHV PCR. Rx: Flunixin Meglumine 3750 mg IM for 1 dose Rx: Phenylbutazone 8000 mg IV for 1 day. (KEH)

0.1.0 WATOTO

AHD

30-Apr-08 Medical None

Collect blood sample.

0.1.0 WATOTO

AHD

30-Apr-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 343 of 1133 was cancelled. Comment: Under medical care.

General Notes

Staffing

30-Apr-08 Maluy, Roach, McLane and Cremer

cremer

Daily Report 01-May-08 Thu Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD cremer

01-May-08 Medical None
 Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 107 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 01-May-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 181 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 01-May-08 Medical None

Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 5 of 14 was cancelled. Comment: This treatment will be done Friday 02 May 08

0.1.0 BAMBOO AHD
 01-May-08 Medical None
 Collected blood sample

21113 0.1.0 CHAI AHD
 01-May-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 181 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 01-May-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by sterile saline irrigation of the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmick, 15 of 22--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 01-May-08 Medical None

Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 9 of 21--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 01-May-08 Medical None
 Collected blood sample.

0.1.0 CHAI AHD
 01-May-08 Medical None

Completed 4 radiographs of RF. Resulting films were not diagnostic.

Loxodonta africana knochenhaueri East African Bush Elephant
 20132 0.1.0 WATOTO AHD cremer

01-May-08 Medical None
 Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 344 of 1133 was cancelled. Comment: Still under medical care.

0.1.0 WATOTO AHD

Daily Report 01-May-08 Thu Elephants Woodland Park Zoo

01-May-08 Medical None
Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 lbs.) daily, 181 of 790 was cancelled.
Comment: Still under medical care.

0.1.0 WATOTO

AHD

01-May-08 Medical None
Collected blood sample. Remains under medical care. Clinical notes pending.

General Notes

General

01-May-08 Staff spent much of the day working with Watoto and Chai and their medical treatments. Bamboo and Chai received normal bath routines this a.m. in between treatment procedures.

maluy

Public Programs

01-May-08 Elephant talk this p.m. for 25 guests.

maluy

Staffing

01-May-08 McLane, Roach, Cremer and Maluy.

cremer

Daily Report 02-May-08 Fri Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD maluy

02-May-08 Medical None
 Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 182 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 02-May-08 Medical None
 Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 108 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI AHD
 02-May-08 Medical None
 Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by sterile saline irrigation of the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmick, 16 of 22--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 02-May-08 Medical None
 Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 10 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 02-May-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 182 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 02-May-08 Medical None
 Chai started on antibiotic suppositories this p.m. to treat possible infection of the right foot. She is to receive 50 grams of Amoxicillin Trihydrate rectally twice per day for one dose.

Loxodonta africana knochenhaueri East African Bush Elephant
 20132 0.1.0 WATOTO AHD maluy

02-May-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 182 of 790--Completed by maluy.
 Comment -- Not offered due to illness.

0.1.0 WATOTO AHD
 02-May-08 Medical None
 Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmick), 345 of 1133--Completed by maluy. Comment -- Did not offer due to illness.

0.1.0 WATOTO AHD
 02-May-08 Medical None
 Obtained blood sample for repeat CBC and Chemistries.

0.1.0 WATOTO AHD

Daily Report 02-May-08 Fri Elephants Woodland Park

02-May-08 Medical None

Watoto ate about one third (13 lbs.) of her hay last night. She drank a few gallons of water and produced one small pile of feces during the night. This a.m. she was still acting dull and not very animated. Gave her an enema using Lactated Ringers solution via a hose and hand pump. She was kept inside for the day along with Chai #21113 so she would have some company. Later in the day she was given an abbreviated bath and would only eat raisins as food rewards. She was observed drinking on multiple occasions during the day when offered water from the hose. Late p.m. she was started on antibiotics for supportive therapy. She will continue to be housed overnight in the herd room.

0.1.0 WATOTO

AHD

02-May-08 Medical None

From the Veterinary Dept clinical notes for April 30, 2008: "Continue Banamine administration and recheck fluids through today. Recheck CBC/panel/fibrinogen and UA tomorrow. Will reassess tomorrow for continued treatment based on patient observations today and tonight."

0.1.0 WATOTO

AHD

02-May-08 Medical None

From Veterinary Dept. clinical notes for May 1, 2008: " The drop in the WBC observed between 28 April is noted again on today's blood sample. Inflammatory proteins appear to be lowering. Hydration status appears stable. Other blood parameter changes not observed. Preliminary EEHV PCR is negative but confirmatory DNA studies pending.

General Notes

Animal

02-May-08 Staff worked on medical issues with elephants for most of the day today.

maluy

Public Programs

02-May-08 No public programs today.

maluy

Staffing

02-May-08 Maluy, Roach and Bojarski

maluy

Specimen Entries

Elephas maximus indicus Indian Elephant
 20073 0.1.0 BAMBOO AHD maluy
 03-May-08 Medical None
 Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 183 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD
 03-May-08 Medical None
 Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 109 of 367--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI AHD
 03-May-08 Medical None
 Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by sterile saline irrigation of the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmick, 17 of 22--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 03-May-08 Medical None
 Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 11 of 21--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD
 03-May-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 183 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

Loxodonta africana knochenhaueri East African Bush Elephant
 20132 0.1.0 WATOTO AHD maluy
 03-May-08 Medical None
 Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 183 of 790--Completed by maluy.
 Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD
 03-May-08 Medical None
 Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmick), 346 of 1133--Completed by maluy. Comment -- No remarkable change in condition; administration routine.

0.1.0 WATOTO AHD
 03-May-08 Medical None
 From the Animal Health Dept clinical notes: none received today.

She did get treated with Nacel IM injections this a.m. in the right hip. She also received Famvir suppositories both a.m. and p.m. She tolerated the treatments very well.

0.1.0 WATOTO AHD

Daily Report 03-May-08 Sat Elephants Woodland Park

03-May-08 Medical None

Watoto seems better today. She ate most (80-90 %) of her hay from overnight. Passed four normal piles of manure and drank several gallons of water from the water barrel. This a.m. she rec'd her antibiotics, one as a rectal suppository and the other as IM injections in the right hip/hamstring muscle. She was housed in the Herd room with Chai #21113 for company for part of the day.

She ate 75% (30 lbs) of her hay ration today and drank multiple times from the hose and water barrel. She was less interested in eating treat foods though she does enjoy dried fruits of many varieties. She also passed multiple 7-8 p of stool during the day and they were normal in hydration and size.

Note her WBC count is up to 6200, yesterday it was 4100. Her PCV/Hematocrit is 38% and her urine specific gravity has improved which indicates she is less dehydrated.

General Notes

General

03-May-08 Crew spent some time sprucing up around the office and barn in preparation for the TAG meetings.
maluy

Pest Control

03-May-08 Found a suspicious fecal (cat or raccoon) in the south paddock of the elephant yard last night.
maluy

Public Programs

03-May-08 No public program today.
maluy

Staffing

03-May-08 Maluy, Roach and Bojarski Cremer 4 hours OT to help with a.m. treatments.
maluy

Daily Report 04-May-08 Sun Elephants Woodland Park Zoo

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD cremer

04-May-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 110 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

04-May-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 184 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO

AHD

04-May-08 Medical None

maluy

Obtained fecal samples for testing today.

21113 0.1.0 CHAI

AHD

cremer

04-May-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 184 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

04-May-08 Medical None

Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 12 of 21--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

04-May-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by sterile saline irrigation of the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmick, 18 of 22--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI

AHD

malu

04-May-08 Medical None

Obtained fecal samples for testing today.

0.1.0 CHAI

AHD

04-May-08 Medical None

Chai treated with Amoxicillin rectal suppositories bid today. Treatment went well.

Loxodonta africana kochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO

AHD

cremer

04-May-08 Medical None

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 347 of 1133 was cancelled. Comment: Still under medical care

0.1.0 WATOTO

AHD

04-May-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 184 of 790 was cancelled. Comment: Still under medical care

0.1.0 WATOTO

AHD

maluy

Daily Report 04-May-08 Sun Elephants Woodland Park Zoo

04-May-08 Medical None

Watoto ate pretty well (25-30 lbs hay) overnight and drank about half (15 gallons) of her water. Treated this a.m. with Nacel injection, right front tricep. Received treatments with rectal Famivir suppositories bid. Obtained blood samples for CBC and Chemistries and fecal samples. Ate 25-30 lbs. hay during the day, eating small amounts of vegetables and picking at grain pellets. Drinking water when offered via the hose and from the barrel. Spent several hours with Chai #21113 in the Herd room today.

Python m. molurus Indian Rock Python
 920585 0.1.0 Star AHD mclane
 04-May-08 Diet None
 - moved into holding and offered a rabbit which was eaten. Left in holding overnight.

920586 0.1.0 Not Star AHD
 04-May-08 Diet None
 - moved into holding and offered a rabbit which was eaten. Left in holding overnight

Species Entries

Python m. molurus Indian Rock Python
 04-May-08 Diet None AHD mclane
 920585 (0.1.0) -- Star; 920586 (0.1.0) -- Not Star: - moved into holding and offered a rabbit.
 04-May-08 Diet None AHD mclane
 111855 (1.0.0) -- Monty: - offered a rabbit but showed no interest. Appears to be blue and ready to shed.

General Notes

Public Programs

04-May-08 No public program today

cremer

Staffing

04-May-08 Maluy, Cremer, McLane and Bojarski

cremer

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO AHD cremer
 05-May-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 111 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD

05-May-08 Medical None

Treatment -- Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 5 of 14 was cancelled. Comment: This treatment repeats Tuesdays and Fridays

0.1.0 BAMBOO AHD

05-May-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 185 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

21113 0.1.0 CHAI AHD

05-May-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 185 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD

05-May-08 Medical None

Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 13 of 21--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD

05-May-08 Medical None

Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by sterile saline irrigation of the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmick, 19 of 22--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

Loxodonta africana knochenhaueri

East African Bush Elephant

20132 0.1.0 WATOTO AHD cremer

05-May-08 Medical None

For the DKR: (02 May 08) The WBC count continues to decrease below the normal level which may indicate either marked bacterial sepsis or viral infection. The inflammatory proteins have remained normal. Hydration status appears stable. Other blood parameter changes not observed. As stated yesterday, the preliminary EEHV PCR is negative but confirmatory DNA sequencing is being performed for confirmation and results are still pending; however prophylactic treatment with the antiviral Famciclovir in a rectal formation has been prescribed. Systemic antibiotics have been started this afternoon and will continue once a day in the morning. (JEO) Rx: Cefitofur Sodium 800 mg I SID for 7 days. (KEH)

0.1.0 WATOTO AHD

05-May-08 Medical None

For the DKR: (03 May 08) The WBC count and heterophil numbers improved today. Hydration status is improved over yesterday as the Hct is at a normal level for her. Other blood parameters are within normal limits. Elephant herpesvirus lab reported this afternoon that additional DNA sequencing has determined that this elephant is positive for EEHV-3a virus in her blood. Continued anti-herpesviral treatment with famciclovir to continue, along with antibiotic injection and rectal fluids as needed. Additional famciclovir medication has been secured. Collect serum and whole blood on all three elephants and repeat every 48 hours for additional EEHV testing. (JEO)

0.1.0 WATOTO

05-May-08 Medical

None

AHD

(04 May 08) Continued improvement in attitude and appetite. Keeper staff report the patient is consuming about 90% normal diet. WBC remains around 5 but is stable, Hct remains normal, globulins are returning to normal, fibrinogen remains high but that is normal to see an elevation in this parameter continuing past clinical resolution. Stool production is normal in appearance and the amount per defecation, but number of defecations remain reduced. Barn remains closed to provide the patient with RR during start of busy season and the remainder of the recuperation process. (KEH)

0.1.0 WATOTO

05-May-08 Medical

None

AHD

Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink)., 348 of 1133 was cancelled. Comment: Under medical care

0.1.0 WATOTO

05-May-08 Medical

None

AHD

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 185 of 790 was cancelled. Comment: Under medical care

General Notes

Facilities

05-May-08 Grading done in the South Yard.

cremer

Staffing

05-May-08 Mahuy, Cremer, McLane and Borjarski.

cremer

Specimen Entries

Elephas maximus indicus

Indian Elephant

20073 0.1.0 BAMBOO

AHD

cremer

06-May-08 Medical None

As of treatment #6 of 14, Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes. was cancelled. Dates: 05/07/2008 following. Comment: This treatment occurs every Tuesday and Friday. Rx will be replaced to reflect this.

0.1.0 BAMBOO

AHD

06-May-08 Medical None

As of treatment #6 of 14, Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes. was cancelled. Dates: 05/11/2008 following. Comment: This treatment occurs every Tuesday and Friday. Rx will be replace to reflect this.

0.1.0 BAMBOO

AHD

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 05/09/2008, End Date: 05/09/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO

AHD

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 05/13/2008, End Date: 05/13/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO

AHD

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 05/16/2008, End Date: 05/16/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO

AHD

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 05/20/2008, End Date: 05/20/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO

AHD

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 05/23/2008, End Date: 05/23/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO

AHD

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 05/27/2008, End Date: 05/27/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO

AHD

Daily Report 06-May-08 Tue Elephants Woodland Park Zoo

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 05/30/2008, End Date: 05/30/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO AHD

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 06/03/2008, End Date: 06/03/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO AHD

06-May-08 Medical None

Treatment Scheduled: Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes.. Start Date: 06/06/2008, End Date: 06/06/2008; frequency -- every 1 day(s).

0.1.0 BAMBOO AHD

06-May-08 Medical None

Treatment -- Provide 30240 mg. (12 scoops) of Cosequin SID, 112 of 367--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD

06-May-08 Medical None

Treatment -- Treatment occurs every Tuesday and Friday until 06 Jun 08: Soak distal tail in warm water. Clean with general cleansing shampoo and rinse. Apply Oxydex Shampoo and allow this to remain in contact with the skin for 10 minutes., 1 of 1--Completed by cremer. Comment -- This treatment occurs every Tuesday and Friday until 06 Jun 08.

0.1.0 BAMBOO AHD

06-May-08 Medical None

Treatment -- 5059 IU (500 IU/gm) of vitamin e, Rovomix E-50, (1 tbs.) daily, 186 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 BAMBOO AHD

06-May-08 Medical None

Collected blood sample.

0.1.0 BAMBOO AHD maluy

06-May-08 Medical None

Fecal sample collected for analysis.

21113 0.1.0 CHAI AHD cremer

06-May-08 Medical None

Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 186 of 790--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD

06-May-08 Medical None

Treatment -- Apply Cloxacillin cream topically to RF draining tract, SID for 21 days., 14 of 21--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD

Daily Report 06-May-08 Tue Elephants Woodland Park Zoo

06-May-08 Medical None
Treatment -- Soak right front foot in warm water mixed with Epsom salts once or twice per day for 21 days followed by sterile saline irrigation of the draining tract of the right front foot, once or twice per day for 21 days. Per Dr. Helmick, 20 of 22--Completed by cremer. Comment -- No remarkable change in condition; administration routine.

0.1.0 CHAI AHD maluy
06-May-08 Medical None
Took radiographs of Chai's right front foot this p.m. Unfortunately, the shots taken were not diagnostic.

0.1.0 CHAI AHD
06-May-08 Medical None
Fecal sample collected for analysis.

Loxodonta africana knochenhaueri East African Bush Elephant
20132 0.1.0 WATOTO AHD cremer
06-May-08 Medical None
Treatment -- Provide 12 scoops of Cosequin SID. (Maintenance dose increased from 7 scoops on May 24, 2007, per Dr. Helmink), 349 of 1133 was cancelled. Comment: Under medical care.

0.1.0 WATOTO AHD
06-May-08 Medical None
Treatment -- 25000 IU (500 IU/gm) of vitamin e, Rovomix E-50, (5 tbs.) daily, 186 of 790 was cancelled. Comment: Under medical care.

0.1.0 WATOTO AHD
06-May-08 Medical None
Collected blood sample

0.1.0 WATOTO AHD maluy
06-May-08 Medical None
Watoto continues to show steady improvement. Ate most of her hay from overnight (40 lbs) and half her water from the barrel (15 gallons). Fecal output near normal levels, 8-10 piles. Stools were moist and appeared well hydrated, almost normal. Her attitude is better, actively following keepers while working around her. She remains in the barn for the duration of the treatments which should end on Friday a.m. Ate most of her hay during the day though she shared the stall with Chai #21113 during part of the day.

0.1.0 WATOTO AHD
06-May-08 Medical None
Fecal sample collected for analysis.

General Notes

General

06-May-08 Crew spent most of the day performing medical treatments and keeping up with elephant husbandry routines.
maluy

Public Programs

06-May-08 No keeper talk today

cremer

Staffing

06-May-08 Borjarski, McLane, Cremer, Roach and Maluy

cremer